

Foot and Ankle Ultrasound: Anatomy and Scanning Technique

Jon A. Jacobson, MD FACR
*Professor of Radiology
 Section Chief, Musculoskeletal Imaging*



1

Disclosures

- Consultant: Bioclinica
- Book Royalties: Elsevier
- Contractor: POCUS PRO
- Advisory Board: Philips
- Not relevant to this talk

Syllabus and other educational material can be found at www.jacobsonmskus.com

Note: all images from the textbook *Fundamentals of Musculoskeletal Ultrasound* are copyrighted by Elsevier Inc.

2

Technique: *anterior*


- Anterior joint recess
 - Plantar flexion
 - Hyperechoic extracapsular fat pad
 - Hypoechoic hyaline cartilage



AJR 1998; 170:1231

3

Tibiotalar Joint




Sagittal

4

Medial Tendons


- Tibialis posterior
 - Navicular > cuneiforms
 - Metatarsals 2 – 4
- Flexor digitorum longus
 - Distal phalanges #2 – 5
- Tibial nerve, artery, veins
- Flexor hallucis longus
 - Base of distal 1st phalanx
 - *Knot of Henry: FHL & FDL



From: Netter's Atlas of Human Anatomy


5

Medial Tendons: short axis




Transverse Coronal


6




7




8




9




10




11




12




13




14




15



16




17



18

Spring Ligament Complex

- Calcaneonavicular ligament
 - Superomedial
 - Perpendicular to distal PTT
 - Mediolateral oblique
 - Inferoplantar longitudinal




From: Radiology 2005; 237:242

19

Spring Ligament Complex:

- Superomedial component
- Normal: hyperechoic, 2.8 – 3.4 mm thick



Harish, Skeletal Radiol 2007; 36:221

20


Technique: lateral

- Tendons:
 - Peroneus longus
 - Peroneus brevis:
 - May be oval or crescent shaped, against bone
 - Dynamic evaluation: tendon subluxation
 - Dorsiflexion and eversion

21


Lateral Tendons

- Peroneus brevis:
 - Oval or crescent shaped
 - Inserts of 5th metatarsal
- Peroneus longus
 - Plantar 1st MT base
 - Medial cuneiform




22

Peroneal Tendons: short axis




23


Peroneus Longus and Brevis




24




25




26




27



28



29



30

Technique: lateral

- Anterior talofibular
- Calcaneofibular
- Posterior talofibular
- Anterior tibiofibular
- Posterior tibiofibular

From: Netter's Atlas of Human Anatomy

31

Anterior Talofibular Ligament

Fibula
Talus
Long Axis

32

Anterior Talofibular Ligament

Anisotropy
Long Axis

33

Calcaneofibular Ligament

Fibula
Talus
Calcaneus
PB
PL
Long Axis

34

Anterior Inferior Tibiofibular Ligament

Fib
Tib
Long Axis

35

Inferior Tibiofibular Ligament

- Several bands
- Accessory inferior band (Bassett ligament)
 - Seen in 80 – 90%: more horizontal
 - Potential site of impingement

Fib
Tib

Radiology 2010; 254:827

36

Technique: posterior

- Tendons / Muscles:
 - Achilles
 - Flexor hallucis longus

37

Achilles Tendon: proximal

Flexor Hallucis Longus
Tibia
Tibia
Talus

Long Axis

38

Achilles Tendon: distal

Calcaneus
Talus
Calcaneus
Talus

Long Axis

39

Achilles Tendon

Plantaris
Tibia
Talus

Short Axis

40

Plantar Fascia or Aponeurosis:

- 3 components:
 - Medial cord
 - Lateral cord
 - Central cord
 - Most important
 - Fibers envelop flexor digitorum brevis

DB
PAM
PAC
PAL
C

RadioGraphics 2000; 20:181

41

Plantar Fascia


Calcaneus
Calcaneus

Long Axis

42


Technique: *other*

- Interdigital space
 - Normal digital nerve difficult to visualize
 - Morton's neuroma



43

Interdigital Space



3rd MT 2nd MT

Short Axis to Metatarsals

44



Syllabus on line and additional educational material:
www.jacobsonmskus.com

Twitter handle: @jacobsn

45